

ईस्टर्न कोलफिल्ड्स लिमिटेड  
(कोल इंडिया का एक उपक्रम)  
सांक्तोड़िया, पो: डिशेरगढ़  
विपणन एवं विक्रय विभाग



Eastern Coalfields Limited  
(A subsidiary of Coal India Ltd)  
Sanctoria, PO. Dishergarh,  
DEPT: MARKETING & SALES

ECL/HQ/M&S/E-AUCTION/283

Dated: 16.04.2024

SUB: E-AUCTION OFFER

**KIND ATTEN: SHRI MALAY KUMAR MAJEE, HOD COAL E-AUCTION**

TO: M/S CMPDI LTD, KANKE ROAD, RANCHI, JHARKHAND, 834008

FROM: HOD (M&S), ECL, SANCTORIA.

PLEASE FIND ATTACHED HEREWITH THE OFFERS FOR E-AUCTION SCHEDULED TO BE HELD on **23<sup>rd</sup> OF APRIL, 2024**. THE AUCTION IS TO BE HELD IN TERMS OF UPDATED CIL E-AUCTION SCHEME 2022.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

**NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER E-AUCTION**

For terms and conditions of updated CIL E-Auctions Scheme 2022, prospective bidders are advised to visit the CIL's website.

**Post auction activities**

Coal value and requisite documents are to be deposited **within a period of 10 working days** after the closure of the auction (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). 10 working days would be reckoned as applicable to the ECL Office, Sanctoria. Sale Orders in rail mode / consent of Railway programme will be issued after verification of coal value and documents submitted. Sale Orders in road mode will be issued **within 7 days** after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

- Multiple loading sidings like PSBP has e-auction rake despatch capacity of 6 to 7 rakes per day and multiple rakes in same destination is causing hindrance in rake supply by Railway for not more than 2 rakes per day. In view of this Rail Customers are advised to keep alternative destination/Good shed siding for smooth liquidation of rakes due to hindrance/constraints in evacuation by Railways. To ensure faster liquidation of rake, customers are advised for sequencing of rakes during endorsement/allotment.
- **Documents to be submitted for booking** - Successful bidders are required to submit Sale intimation letter, customer's acceptance letter in their letter head, Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e. Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL.
- Presently, all the coal customers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e

Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.

- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.
- If the same address comes within the same state from which coal is supplied then CGST & SGST will be charged and if above address of recipient falls in a different state from where coal is supplied then IGST will be levied.
- **Exact amount to be deposited:** Earnest Money Deposit (EMD), is now termed as Bid Security which is Rs.500 per tonne at present. The sum total of Bid Security and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done.  
Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of Bid Security) in one instalment only. The successful bidders are required to deposit financial coverage for the quantity 4012 tonnes per rake in Rail mode.
- **Process Fee:** In addition, with the bid security, the Bidders shall also be required to submit a Process Fee, in cash through e-transfer, prior to participation in e-auction at the rate of Rs.20/- per ton for the intended bid quantity, inclusive of applicable taxes, with service provider for participation in e-auction. The Process fee shall be non-refundable to the extent of provisionally successful bid quantity in the First stage of bidding process.
- **Separate amount of advance:** The coal customers against E-Auction sale are advised to deposit the amount of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN separately.  
Further the E-Auction coal customers are advised to deposit the advance Auction-wise Bid-wise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.
- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- Steam loading will be done mechanically.
- Details of Bank to which the payment instruments are to be sent: Payment must be made through banking interface only of Axis Bank and ICICI Bank. No other mode of payment will be acknowledged. Relevant details are available in ECL website.
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f. 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the Bid Security in the form of BG are required to submit through SFMS mode in addition to submission of original BG to the E-Auction Service Provider at least 3 working days from the date of auction. (Eg: If auction date is 22<sup>nd</sup> Dec 2022. then last date of deposition of Bid Security in the form of BG is 19<sup>th</sup> Dec 2022.). The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office.
- The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol. SFMS details are as below: -

Bank Name: ICICI Bank

Account No.: 029105006160

Cust ID: 582866895

Bank Branch IFSC Code: ICIC0000291

Unique Identifier for Field 7037:- ECL582866895

Alert for message type- Issuance & Amendment both (5017 & 5018 both).

- The requisite documents along with application may be sent in mail id [eclmns2020@yahoo.com](mailto:eclmns2020@yahoo.com) within 2 working days of deposition of coal value.

Auction Floor								
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Floor Price				
Bankola A	35500	G4	-100 MM,STEAM	3528	4410			
<b>Cluster description</b>								
<b>Loading Points</b>	<b>Mode</b>	<b>Grade</b>	<b>Size</b>	<b>Notified price of representative grade incl. STM charges</b>	<b>Evacuation capacity under offer (tes)</b>	<b>SAP Siding Code</b>	<b>SAP Plant code</b>	<b>Weighbridge Details</b>
UKA IV (Bankola Line I)	Rail	G4	-100 MM,STEAM	3528	12000 (3 Rakes)	RLB1	4001	Andal Railway Weigh Bridge : 140TE
Shankarpur UG	Road	G4	-100 MM,STEAM	3528	10000	N/A	4119	SHANKARPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
Bankola UG	Road	G4	-100 MM,STEAM	3528	5000	N/A	4113	BANKOLA WEIGHBRIDGE ,CAPACITY:60 TONNES
Tilaboni UG	Road	G3	-100 MM,STEAM	3688	4000	N/A	4115	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
Kumardihli A UG	Road	G4	-100 MM,STEAM	3528	3000	N/A	4116	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
Khandra UG	Road	G4	-100 MM,STEAM	3528	1500	N/A	4112	KHANDRA ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES

Auction Floor								
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price			
Bankola B	90000	G4	-100 MM,STEAM	3528	4410			
<b>Cluster description</b>								
<b>Loading Points</b>	<b>Mode</b>	<b>Grade</b>	<b>Size</b>	<b>Notified price of representative grade incl. STM charges</b>	<b>Evacuation capacity under offer (tes)</b>	<b>SAP Siding Code</b>	<b>SAP Plant code</b>	<b>Weighbridge Details</b>
UKA IV (Bankola Line II)	Rail	G4	-100 MM,STEAM	3528	80000 (20 Rakes)	RLB2	4001	Andal Railway Weigh Bridge : 140TE
Shyamsundarpur UG	Road	G4	-100 MM,STEAM	3528	10000	N/A	4114	Shyamsundarpur Road WB, Cap: 100 tes

Auction Floor								
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade	Floor Price			
Bankola C	14000	G4	-100 MM,STEAM	3528	4410			
<b>Cluster description</b>								
<b>Loading Points</b>	<b>Mode</b>	<b>Grade</b>	<b>Size</b>	<b>Notified price</b>	<b>Evacuation capacity under offer (tes)</b>	<b>SAP Siding Code</b>	<b>SAP Plant code</b>	<b>Weighbridge Details</b>
POCP II	Rail	G4	-100 MM,STEAM	3528	4000 (1 Rake)	RWJ2	4001	PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
Kumardihli B UG	Road	G4	-100 MM,STEAM	3528	10000	N/A	4117	NAKRAKONDA KUM-B UG ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES

Auction Floor								
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price			
Pandaveswar Area	22500	G4	STEAM	3528	4410			
<b>Cluster description</b>								
<b>Loading Points</b>	<b>Mode</b>	<b>Grade</b>	<b>Size</b>	<b>Notified price of representative grade incl. STM charges</b>	<b>Evacuation capacity under offer (tes)</b>	<b>SAP Siding Code</b>	<b>SAP Plant code</b>	<b>Weighbridge Details</b>
PAW-II (SS )	Rail	G4	-100 MM,STEAM	3528	4000 (1 Rake)	SSAP	4001	PAW-II Railway WB, Cap: 100 tes
Madhajpur UG	Road	G3	-250 MM,STEAM	3688	1500	N/A	4062	Madhajpur Road WB, Cap: 60tes
Manderboni UG	Road	G3	-250 MM,STEAM	3688	2000	N/A	4064	Manderboni Road WB, Cap: 60tes
Pandaveswar UG	Road	G4	-250 MM,STEAM	3528	5000	N/A	4065	Pandaveswar Road WB, Cap: 60 tes
Khottadilh OC	Road	G4	-250 MM,STEAM	3528	5000	N/A	4067	Khottadilh Road WB, Cap: 60 tes
Khottadilh UG	Road	G3	-100 MM,STEAM	3688	5000	N/A	4066	Khottadilh Road WB, Cap: 100 tes

Auction Floor								
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price			
Haraijam UG	2000	W03	-250 MM,STEAM	3632	4540			
<b>Cluster description</b>								
<b>Loading Points</b>	<b>Mode</b>	<b>Grade</b>	<b>Size</b>	<b>Notified price of representative grade incl. STM charges</b>	<b>Evacuation capacity under offer (tes)</b>	<b>SAP Siding Code</b>	<b>SAP Plant code</b>	<b>Weighbridge Details</b>
Haraijam UG	Road	W03	-250 MM,STEAM	3632	2000	N/A	4615	Haraijam Road Weighbridge, Capacity: 60 MT

Auction Floor								
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price			
JHANJRA	62000	G5	-100 MM,STEAM	3247	4059			
<b>Cluster description</b>								
<b>Loading Points</b>	<b>Mode</b>	<b>Grade</b>	<b>Size</b>	<b>Notified price of representative grade incl. STM charges</b>	<b>Evacuation capacity under offer (tes)</b>	<b>SAP Siding Code</b>	<b>SAP Plant code</b>	<b>Weighbridge Details</b>
PAWI POCP-I	Rail	G4	-100 MM,STEAM	3528	40000 (10 Rakes)	RWJ1	4001	PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
Jhanjra UG	Road	G5	-100 MM,STEAM	3247	12000	N/A	4162	3 & 4 Incline Road WB; Capacity : 60 Te
Jhanjra UG	Road	G4	-100 MM,STEAM	3528	10000	N/A	4162	MIC Road WB; Capacity : 50 Te

Auction Floor								
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price			
S P Mines Area	79000	G4	STEAM	3528	4410			
<b>Cluster description</b>								
<b>Loading Points</b>	<b>Mode</b>	<b>Grade</b>	<b>Size</b>	<b>Notified price of representative grade incl. STM charges</b>	<b>Evacuation capacity under offer (tes)</b>	<b>SAP Siding Code</b>	<b>SAP Plant code</b>	<b>Weighbridge Details</b>
JMT	Rail	G3	-100 MM,STEAM	3688	4000 (1 Rake)	CCSJ	4001	Electronic In Motion WB Jamtara Railway Siding, Cap: 100 tes
Chitra A OC::Saharjori/Patrika	Road	G3	-250 MM,STEAM	3688	25000	N/A	4662	Linked WB-Chitra AOC / Saharjori/Patrika Capacity- 100 te,
Chitra OCP::Colony	Road	G3	-250 MM,STEAM	3688	20000	N/A	4662	Linked WB-Chitra OCP/ Colony Seam, Capacity- 100 te,
Chitra OCP::Chitra	Road	G4	-250 MM,STEAM	3528	30000	N/A	4662	Linked WB of Chitra OCP/Chitra Seam, Capacity- 60 tes

Auction Floor								
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price			
Sodepur	12000	G5	-100 MM,STEAM	3247	4059			
<b>Cluster description</b>								
<b>Loading Points</b>	<b>Mode</b>	<b>Grade</b>	<b>Size</b>	<b>Notified price of representative grade incl. STM charges</b>	<b>Evacuation capacity under offer (tes)</b>	<b>SAP Siding Code</b>	<b>SAP Plant code</b>	<b>Weighbridge Details</b>
CKI -III	Rail	G4	-100 MM,STEAM	3528	4000 (1 Rake)	ASCR	4001	Radhanagar In Motion W/B, Cap: 140 Te
Parbela UG	Road	G4	-100 MM,STEAM	3528	2000	N/A	4565	Parbela Road Weighbridge Cap: 60 Te
Dubeswari UG	Road	G4	-100 MM,STEAM	3528	3000	N/A	4566	Dubeswari Colliery Road Weighbridge; Cap: 60 Te
Bejdih UG	Road	G5	-100 MM,STEAM	3247	500	N/A	4562	Bejdih Road WB, Cap:60 Te.
Methani UG	Road	G4	-100 MM,STEAM	3528	500	N/A	4563	Methani Road WB, Cap:60 Te.
Patmohana UG	Road	G4	-100 MM,STEAM	3528	500	N/A	4564	Patmohana Road Weighbridge Cap: 60 Te
Dhemomain Incline UG	Road	G4	-100 MM,STEAM	3528	1500	N/A	4567	Dhemomain Road WB, Cap: 60te
Dhemomain Pit UG	Road	G4	-100 MM,STEAM	3528	1500	N/A	4568	Dhemomain Road WB, Cap: 60te
Narsamuda UG	Road	G4	-100 MM,STEAM	3528	1500	N/A	4569	Narsamuda Road WB, Cap: 50Te
Chinakuri No.3 UG	Road	G4	-100 MM,STEAM	3528	1000	N/A	4570	Chinakuri Road W.B. Cap: 60 Te