

ईस्टर्न कोलफिल्ड्स लिमिटेड
(कोल इंडिया का एक उपक्रम)
सांक्तोड़िया, पो: डिसेरगढ़
विपणन एवम विक्रय विभाग



Eastern Coalfields Limited
(A subsidiary of Coal India Ltd)
Sanctoria. PO. Dishergarh,
DEPT: MARKETING & SALES

ECL/HQ/M&S/E-AUCTION/464

Dated: 18.06.2024

SUB: E-AUCTION OFFER

KIND ATTEN: SHRI MALAY KUMAR MAJEE, HOD COAL E-AUCTION

TO: M/S CMPDI LTD, KANKE ROAD, RANCHI, JHARKHAND, 834008

FROM: GM/HOD (M&S), ECL, SANCTORIA.

PLEASE FIND ATTACHED HEREWITH THE OFFERS FOR E-AUCTION SCHEDULED TO BE HELD on **25th OF JUNE, 2024**. THE AUCTION IS TO BE HELD IN TERMS OF UPDATED CIL E-AUCTION SCHEME 2022.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER E-AUCTION

For terms and conditions of updated CIL E-Auctions Scheme 2022, prospective bidders are advised to visit the CIL's website.

Post auction activities

Coal value and requisite documents are to be deposited **within a period of 10 working days** after the closure of the auction (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). 10 working days would be reckoned as applicable to the ECL Office, Sanctoria. Sale Orders in rail mode / consent of Railway programme will be issued after verification of coal value and documents submitted. Sale Orders in road mode will be issued **within 7 days** after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

- Multiple loading sidings like PSBP has e-auction rake despatch capacity of 6 to 7 rakes per day and multiple rakes in same destination is causing hindrance in rake supply by Railway for not more than 2 rakes per day. In view of this Rail Customers are advised to keep alternative destination/Good shed siding for smooth liquidation of rakes due to hindrance/constraints in evacuation by Railways. To ensure faster liquidation of rake, customers are advised for sequencing of rakes during endorsement/allotment.
- **Documents to be submitted for booking** - Successful bidders are required to submit Sale intimation letter, customer's acceptance letter in their letter head, Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e. Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL.
- Presently, all the coal customers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e

Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.

- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.
- If the same address comes within the same state from which coal is supplied then CGST & SGST will be charged and if above address of recipient falls in a different state from where coal is supplied then IGST will be levied.
- **Exact amount to be deposited:** Earnest Money Deposit (EMD), is now termed as Bid Security which is Rs.500 per tonne at present. The sum total of Bid Security and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done. Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of Bid Security) in one instalment only. The successful bidders are required to deposit financial coverage for the quantity 4012 tonnes per rake in Rail mode.
- **Process Fee:** In addition, with the bid security, the Bidders shall also be required to submit a Process Fee, in cash through e-transfer, prior to participation in e-auction at the rate of Rs.20/- per ton for the intended bid quantity, inclusive of applicable taxes, with service provider for participation in e-auction. The Process fee shall be non-refundable to the extent of provisionally successful bid quantity in the First stage of bidding process.
- **Separate amount of advance:** The coal customers against E-Auction sale are advised to deposit the amount of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN separately. Further the E-Auction coal customers are advised to deposit the advance Auction-wise Bid-wise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.
- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- Steam loading will be done mechanically.
- Details of Bank to which the payment instruments are to be sent: Payment must be made through banking interface only of Axis Bank and ICICI Bank. No other mode of payment will be acknowledged. Relevant details are available in ECL website.
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f. 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the Bid Security in the form of BG are required to submit through SFMS mode in addition to submission of original BG to the E-Auction Service Provider at least 3 working days from the date of auction. (Eg: If auction date is 22nd Dec 2022. then last date of deposition of Bid Security in the form of BG is 19th Dec 2022.). The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office.
- The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol. SFMS details are as below: -
 - Bank Name: ICICI Bank
 - Account No.: 029105006160
 - Cust ID: 582866895
 - Bank Branch IFSC Code: ICIC0000291
 - Unique Identifier for Field 7037: ECL582866895

Alert for message type- Issuance & Amendment both (5017 & 5018 both).

- The requisite documents along with application may be sent in mail id eclmns2020@yahoo.com within 2 working days of deposition of coal value.

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
Mugma	21100	G6	STEAM	3006	3758				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Siding Code	SAP Plant code	Weighbridge Details
MMU IIIA / PMCS	Rail	G5	-100 MM,STEAM	3247	4059	4000 (1 Rake)	PMCS	4001	Pandra Rail Weighbridge, Capacity: 100 MT
Lakhimata UG	Road	G5	-250 MM,STEAM	3247	4059	1500	N/A	4616	Linked WB of Lakhimata UG, Capacity: 60 Te.
Rajpura OC	Road	G5	-250 MM,STEAM	3247	4059	1000	N/A	4619	Linked WB of Rajpura OC, Capacity: 60 Te.
Barmuri OC	Road	G5	-250 MM,STEAM	3247	4059	7000	N/A	4624	Linked WB- Barmuri OC , Cap- 60 te
Khoodia UG	Road	G5	-250 MM,STEAM	3247	4059	1000	N/A	4618	Linked WB of Lakhimata UG, Capacity: 60 Te.
Shyampur B UG	Road	G5	-250 MM,STEAM	3247	4059	500	N/A	4617	Shyampur B WB, Capacity: 60 Te.
Kumardhuli UG	Road	G5	-250 MM,STEAM	3247	4059	600	N/A	4625	Linked WB- Barmuri OC , Cap- 60 te
Badina UG	Road	G6	-250 MM,STEAM	3006	3758	1500	N/A	4612	Badina WB, Capacity: 60 Te.
Chapapur OC	Road	G5	-250 MM,STEAM	3247	4059	4000	N/A	4614	Linked WB- Chapapur OC , Cap- 60 te

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
Kenda	79000	G5	-100 MM,STEAM	3247	4059				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Siding Code	SAP Plant code	Weighbridge Details
CHA-I(B) / MCSP	Rail	G3	-100 MM,STEAM	3688	4610	40000 (10 Rakes)	MCSP	4001	Sonachara Rail In-motion WB, Capacity: 140 MT
Bahula UG	Road	G4	-100 MM,STEAM	3528	4410	1000	N/A	4314	Bahula 1 Road W/B, CAPACITY: 60 TONNES
Chora 7&9 pit UG	Road	G4	-100 MM,STEAM	3528	4410	5000	N/A	4312	CHORA 7/9 Road Weighbridge CAPACITY:60 TONNES
Chora 10 pit UG	Road	G4	-100 MM,STEAM	3528	4410	3000	N/A	4313	Chora 10 Pit Road WB, Capacity: 60 MT
Chora Block Inc UG	Road	G5	-100 MM,STEAM	3247	4059	2000	N/A	4320	Shankarpur OCP Road WB, Capacity: 60 Tones
New Kenda OC	Road	G3	-100 MM,STEAM	3688	4610	20000	N/A	4319	Bahula 1 Road W/B, CAPACITY: 60 TONNES
Lower Kenda UG	Road	G3	-100 MM,STEAM	3688	4610	3500	N/A	4315	CHORA 7/9 Road Weighbridge CAPACITY:60 Tes.
CL Jambad OC	Road	G4	-100 MM,STEAM	3528	4410	1000	N/A	4328	C L Jambad Road Weighbridge, Capacity: 60 Tes
Siduli UG	Road	G5	-100 MM,STEAM	3247	4059	3500	N/A	4316	Shankarpur OCP Road WB, Capacity: 60 Tones

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
Kajora Area	24500	G4	-100 MM,STEAM	3528	4410				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Siding Code	SAP Plant code	Weighbridge Details
UKA-II-MSPE	Rail	G3	-100 MM,STEAM	3688	4610	4000 (1 Rakes)	RLK2	4001	Andal Railway Weigh Bridge, Cap: 140TE
KhasKajora UG	Road	G3	-100 MM,STEAM	3688	4610	7500	N/A	4218	Linked WB of Khas Kajora Colly., Cap: 60tes
Central Kajora UG	Road	G3	-100 MM,STEAM	3688	4610	2000	N/A	4219	Linked WB of Central Kajora Colly., Cap: 60 tes
Parascole (E) UG	Road	G3	-100 MM,STEAM	3688	4610	4500	N/A	4220	Linked WB of Parascole Colly., Cap: 60 tes
Parascole (W) UG	Road	G4	-100 MM,STEAM	3528	4410	500	N/A	4222	Linked WB of Parascole Colly., Cap: 60 tes
Jambad UG	Road	G3	-100 MM,STEAM	3688	4610	6000	N/A	4212	Linked WB of Jambad Colly., Cap: 60 tes

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
SATGRAM-SRIPUR	48000	G5	-100 MM,STEAM	3247	4059				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Siding Code	SAP Plant code	Weighbridge Details
RNG-I	Rail	G5	-100 MM,STEAM	3247	4059	4000 (1 Rake)	NMCL	4001	Near Raniganj up line, Cap: 140 Tes
Nimcha UG	Road	G4	-100 MM,STEAM	3528	4410	2000	N/A	4412	Near Nimcha Siding, Capacity-60 Te
Amkola OC	Road	G5	-100 MM,STEAM	3247	4059	6000	N/A	4413	Near Nimcha Siding, Capacity-60 Te
Nimcha High Wall	Road	G5	-100 MM,STEAM	3247	4059	20000	N/A	4426	Near Nimcha Siding, Capacity-60 Te
JK Nagar UG	Road	G4	-100 MM,STEAM	3528	4410	2000	N/A	4418	Near JK Nagar Siding, Capacity-50 Te
Bhanora WB UG	Road	G4	-100 MM,STEAM	3528	4410	500	N/A	4464	Bhanora WB Depot Road WB, Capacity-60 Te
Ningha UG	Road	G4	-100 MM,STEAM	3528	4410	1000	N/A	4462	Near Ningha Depot, Capacity-60 Te
Kalidaspur UG	Road	G4	-100 MM,STEAM	3528	4410	500	N/A	4417	Near Kalidaspur Project- 60 Te
Bhanora OC	Road	G4	-100 MM,STEAM	3528	4410	2000	N/A	4469	Near JK Nagar Siding, Capacity-50 Te
Ninga OC	Road	G5	-100 MM,STEAM	3247	4059	10000	N/A	4470	Near Ninga OC Patch, Capacity-60 Te

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
S P Mines Area	39000	G4	STEAM	3528	4410				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Siding Code	SAP Plant code	Weighbridge Details
JMT	Rail	G3	-100 MM,STEAM	3688	4610	4000 (1 Rake)	CCSJ	4001	Electronic In Motion WB Jamtara Railway Siding, Cap: 100 tes
Chitra A OC::Saharjori/Patrika	Road	G3	-250 MM,STEAM	3688	4610	20000	N/A	4662	Linked WB-Chitra AOC / Saharjori/Patrika Capacity- 100 te
Chitra OCP::Colony	Road	G3	-250 MM,STEAM	3688	4610	5000	N/A	4662	Linked WB-Chitra OCP/ Colony Seam, Capacity- 100 te
Chitra OCP::Chitra	Road	G4	-250 MM,STEAM	3528	4410	10000	N/A	4662	Linked WB of Chitra OCP/Chitra Seam, Capacity- 60 tes

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
Sodepur	7000	G4	-100 MM,STEAM	3528	4410				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Siding Code	SAP Plant code	Weighbridge Details
CKI -III	Rail	G4	-100 MM,STEAM	3528	4410	4000 (1 Rake)	ASCR	4001	Radhanagar In Motion W/B, Cap: 140 Te
Dubeswari UG	Road	G4	-100 MM,STEAM	3528	4410	2000	N/A	4566	Dubeswari Colliery Road Weighbridge; Cap: 60 Te
Patmohna UG	Road	G4	-100 MM,STEAM	3528	4410	500	N/A	4564	Patmohna Road Weighbridge Cap: 60 Te
Dhemomain Incline UG	Road	G4	-100 MM,STEAM	3528	4410	1500	N/A	4567	Dhemomain Road WB, Cap: 60Te
Dhemoin main Pit UG	Road	G4	-100 MM,STEAM	3528	4410	1500	N/A	4568	Dhemomain Road WB, Cap: 60Te
Narsamuda UG	Road	G4	-100 MM,STEAM	3528	4410	1500	N/A	4569	Narsamuda Road WB, Cap: 50Te