

ईस्टर्न कोलफिल्ड्स लिमिटेड
(कोल इंडिया का एक उपक्रम)
सांक्तोड़िया, पो: डिसेरगढ़
विपणन एवम विक्रय विभाग



Eastern Coalfields Limited
(A subsidiary of Coal India Ltd)
Sanctoria. PO. Dishergarh,
DEPT: MARKETING & SALES

ECL/HQ/M&S/E-AUCTION/584

Dated: 03.08.2024

SUB: E-AUCTION OFFER

KIND ATTEN: SHRI MALAY KUMAR MAJEE, HOD COAL E-AUCTION

TO: M/S CMPDI LTD, KANKE ROAD, RANCHI, JHARKHAND, 834008

FROM: GM/HOD (M&S), ECL, SANCTORIA.

PLEASE FIND ATTACHED HERewith THE OFFERS FOR E-AUCTION SCHEDULED TO BE HELD on **10th OF AUGUST, 2024**. THE AUCTION IS TO BE HELD IN TERMS OF UPDATED CIL E-AUCTION SCHEME 2022.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER E-AUCTION

For terms and conditions of updated CIL E-Auctions Scheme 2022, prospective bidders are advised to visit the CIL's website.

Post auction activities

Coal value and requisite documents are to be deposited **within a period of 10 working days** after the closure of the auction (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). 10 working days would be reckoned as applicable to the ECL Office, Sanctoria. Sale Orders in rail mode / consent of Railway programme will be issued after verification of coal value and documents submitted. Sale Orders in road mode will be issued **within 7 days** after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

- Multiple loading sidings like PSBP has e-auction rake despatch capacity of 6 to 7 rakes per day and multiple rakes in same destination is causing hindrance in rake supply by Railway for not more than 2 rakes per day. In view of this Rail Customers are advised to keep alternative destination/Good shed siding for smooth liquidation of rakes due to hindrance/constraints in evacuation by Railways. To ensure faster liquidation of rake, customers are advised for sequencing of rakes during endorsement/allotment.
- **Documents to be submitted for booking** - Successful bidders are required to submit Sale intimation letter, customer's acceptance letter in their letter head, Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e. Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL.
- Presently, all the coal customers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e Name of

the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.

- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.
- If the same address comes within the same state from which coal is supplied then CGST & SGST will be charged and if above address of recipient falls in a different state from where coal is supplied then IGST will be levied.
- **Exact amount to be deposited:** Earnest Money Deposit (EMD), is now termed as Bid Security which is Rs.150 per tonne at present. The sum total of Bid Security and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done.
Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of Bid Security) in one instalment only. The successful bidders are required to deposit financial coverage for the quantity (4000+130) 4130 tonnes per rake in Rail mode. Consumers may maintain the financial coverage for this additional quantity of 130 tonnes in the form of cash or bank guarantee until dispatching and invoicing of the rake.
- **Process Fee:** In addition, with the bid security, the Bidders shall also be required to submit a Process Fee, in cash through e-transfer, prior to participation in e-auction at the rate of Rs.20/- per ton for the intended bid quantity, inclusive of applicable taxes, with service provider for participation in e-auction. The Process fee shall be non-refundable to the extent of provisionally successful bid quantity in the First stage of bidding process.
- **Separate amount of advance:** The coal customers against E-Auction sale are advised to deposit the amount of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN separately.
Further the E-Auction coal customers are advised to deposit the advance Auction-wise Bid-wise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.
- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- Steam loading will be done mechanically.
- Details of Bank to which the payment instruments are to be sent: Payment must be made through banking interface only of Axis Bank and ICICI Bank. No other mode of payment will be acknowledged. Relevant details are available in ECL website.
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f. 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the Bid Security in the form of BG are required to submit through SFMS mode in addition to submission of original BG to the E-Auction Service Provider at least 3 working days from the date of auction. (Eg: If auction date is 22nd Dec 2022. then last date of deposition of Bid Security in the form of BG is 19th Dec 2022.). The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office.
- The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol. SFMS details are as below: -
 - Bank Name: ICICI Bank
 - Account No.: 029105006160
 - Cust ID: 582866895
 - Bank Branch IFSC Code: ICIC0000291
 - Unique Identifier for Field 7037:- ECL582866895
 - Alert for message type- Issuance & Amendment both (5017 & 5018 both).
- The requisite documents along with application may be sent in mail id eclmns2020@yahoo.com within 2 working days of deposition of coal value.

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
Bankola A	51000	G4	-100 MM,STEAM	3528	4410				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Sliding Code	SAP Plant code	Weighbridge Details
UKA IV (Bankola Line I)	Rail	G4	-100 MM,STEAM	3528	4410	32000 (8 Rakes)	RLB1	4001	Andal Railway Weigh Bridge : 140TE
Shankarpur UG	Road	G4	-100 MM,STEAM	3528	4410	9000	N/A	4119	SHANKERPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
Bankola UG	Road	G4	-100 MM,STEAM	3528	4410	4000	N/A	4113	BANKOLA WEIGHBRIDGE ,CAPACITY:60 TONNES
Tilaboni UG	Road	G3	-100 MM,STEAM	3688	4610	1000	N/A	4115	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
Kumardih A UG	Road	G4	-100 MM,STEAM	3528	4410	3000	N/A	4116	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
Khandra UG	Road	G4	-100 MM,STEAM	3528	4410	2000	N/A	4112	KHANDRA ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
Bankola B	25000	G4	-100 MM,STEAM	3528	4410				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Sliding Code	SAP Plant code	Weighbridge Details
UKA IV (Bankola Line II)	Rail	G4	-100 MM,STEAM	3528	4410	16000 (4 Rakes)	RLB2	4001	Andal Railway Weigh Bridge : 140TE
Shyamundarpur UG	Road	G4	-100 MM,STEAM	3528	4410	9000	N/A	4114	Shyamundarpur Road WB, Cap: 100 tes

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
Bankola C	34000	G4	-100 MM,STEAM	3528	4410				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Sliding Code	SAP Plant code	Weighbridge Details
POCP II	Rail	G4	-100 MM,STEAM	3528	4410	24000 (6 Rakes)	RW02	4001	PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
Kumardih B UG	Road	G4	-100 MM,STEAM	3528	4410	10000	N/A	4117	NAKARAKONDA KUM-B UG ROAD WEIGHBRIDGE; CAPACITY: 60 TONNES

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
JHANURA	31000	G5	-100 MM,STEAM	3247	4059				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Sliding Code	SAP Plant code	Weighbridge Details
PAWI POCP-I	Rail	G4	-100 MM,STEAM	3528	4410	4000 (1 Rake)	RW01	4001	PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
Jhanja UG	Road	G5	-100 MM,STEAM	3247	4059	12000	N/A	4162	3 & 4 Incline Road WB; Capacity : 60 Te
Jhanja UG	Road	G4	-100 MM,STEAM	3528	4410	15000	N/A	4162	MIC Road WB; Capacity : 50 Te

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
Salanpur	157500	G8	STEAM	2183	2402				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Sliding Code	SAP Plant code	Weighbridge Details
SL51 / BISP	Rail	G6	-100 MM,STEAM	3006	3758	4000 (1 Rake)	BISP	4001	Dalmiya EIM WB, Cap: 140 tes
Itapara OC	Road	G6	-100 MM,STEAM	3006	3307	50000	N/A	4513	Linked WB of Itapara OC, CAP: 60 te, 1 Nos.
G/Begunia OC	Road	G8	-100 MM,STEAM	2183	2402	100000	N/A	4515	Linked WB of G/Begunia OC, CAP: 60tes, 2 Nos.
Borjemehani OC	Road	G6	-250 MM,STEAM	3006	3758	2000	N/A	4516	Linked WB of Borjemehani OC, CAP: 60tes, 2 Nos.
Dabor OC	Road	G6	-250 MM,STEAM	3006	3758	1500	N/A	4517	Linked WB of Dabor OC, CAP: 60tes, 2 Nos.

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
PARASEA	16000	G4	-100 MM,STEAM	3528	4410				
Cluster description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Sliding Code	SAP Plant code	Weighbridge Details
CHA-II(P)/PSEC	Rail	G4	-100 MM,STEAM	3528	4410	16000 (4 Rakes)	RXN1	4001	SONACHARA Rail In Motion WB, CAP:140 TES
Belbaid UG	Road	G4	-100 MM,STEAM	3528	4410	500	N/A	4366	Near Belbaid Sliding, CAP: 50 Te

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
BELBAID	8000	G4	-100 MM,STEAM	3528	4410				
Cluster description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Sliding Code	SAP Plant code	Weighbridge Details
TOP-I (BL) / Belbaid	Rail	G4	-100 MM,STEAM	3528	4410	8000 (2 Rakes)	SWKT	4001	SONACHARA Rail In Motion WB, CAP:140 TES
Naranakurt Highway	Road	G4	-100 MM,STEAM	3528	4410	500	N/A	4371	Near Belbaid Sliding, CAP: 50 Te

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
BANGRA	22000	G5	-100 MM,STEAM	3247	4059				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Sliding Code	SAP Plant code	Weighbridge Details
TOP-I (BNS) / Bansra	Rail	G4	-100 MM,STEAM	3528	4410	4000 (1 Rake)	RXN2	4001	SONACHARA Rail In Motion WB, CAP:140 TES
Bansra UG	Road	G4	-100 MM,STEAM	3528	4410	6000	N/A	4367	Near Bansra Sliding, CAP: 60 Te
Kumustoria UG	Road	G4	-100 MM,STEAM	3528	4410	6000	N/A	4362	Near Agent Office, Cap: 60 tes
North Sainade OC	Road	G5	-100 MM,STEAM	3247	4059	3000	N/A	4363	Near North Sainade OC, Cap: 60 tes
Amritnagar UG	Road	G4	-100 MM,STEAM	3528	4410	3000	N/A	4364	Near Amritnagar Colliery, Cap: 60 tes

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
Kenda	34500	G5	-100 MM,STEAM	3247	4059				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Sliding Code	SAP Plant code	Weighbridge Details
CHA-II(B) / HCSP	Rail	G3	-100 MM,STEAM	3688	4610	4000 (1 Rake)	MCSP	4001	Sonachara Rail In-motion WB, Capacity: 140 MT
Behula UG	Road	G4	-100 MM,STEAM	3528	4410	1000	N/A	4314	Behula 1 Road WB, CAPACITY: 60 TONNES
Chora 7&9 pit UG	Road	G4	-100 MM,STEAM	3528	4410	1000	N/A	4312	CHORA 7/9 Road Weighbridge CAPACITY:60 TONNES
Chora 10 pit UG	Road	G4	-100 MM,STEAM	3528	4410	2000	N/A	4313	Chora 10 Pit Road WB, Capacity: 60 MT
Chora Block Inc UG	Road	G5	-100 MM,STEAM	3247	4059	1000	N/A	4320	Shankarpur OCP Road WB, Capacity: 60 Tonnes
New Kenda OC	Road	G3	-100 MM,STEAM	3688	4610	20000	N/A	4319	Behula 1 Road WB, CAPACITY: 60 TONNES
Lower Kenda UG	Road	G3	-100 MM,STEAM	3688	4610	2500	N/A	4315	CHORA 7/9 Road Weighbridge CAPACITY:60 Tes.
Siduli UG	Road	G5	-100 MM,STEAM	3247	4059	3000	N/A	4316	Shankarpur OCP Road WB, Capacity: 60 Tonnes

Auction Floor									
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price				
Sodepur	10000	G4	-100 MM,STEAM	3528	4410				
Cluster Description									
Loading Points	Mode	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	SAP Sliding Code	SAP Plant code	Weighbridge Details
CKI -III	Rail	G4	-100 MM,STEAM	3528	4410	4000 (1 Rate)	ASCR	4001	Radhanagar In Motion W/B, Cap: 140 Te
Patelsila UG	Road	G4	-100 MM,STEAM	3528	4410	2000	N/A	4566	Patelsila Road Weighbridge Cap: 60 Te
Dubeshwari UG	Road	G4	-100 MM,STEAM	3528	4410	2000	N/A	4566	Dubeshwari Colliery Road Weighbridge; Cap: 60 Te
Patmohna UG	Road	G4	-100 MM,STEAM	3528	4410	500	N/A	4564	Patmohna Road Weighbridge Cap: 60 Te
Dhemomani Incline UG	Road	G4	-100 MM,STEAM	3528	4410	1500	N/A	4567	Dhemomani Road WB, Cap: 60Te
Dhemo main PR UG	Road	G4	-100 MM,STEAM	3528	4410	1500	N/A	4568	Dhemomani Road WB, Cap: 60Te
Narsamuda UG	Road	G4	-100 MM,STEAM	3528	4410	1500	N/A	4569	Narsamuda Road WB, Cap: 50Te
Chinakuri No.3 UG	Road	G4	-100 MM,STEAM	3528	4410	1000	N/A	4570	Chinakuri Road W.B. Cap: 60 Te