

ईस्टर्न कोलफिल्ड्स लिमिटेड  
(कोल इंडिया का एक उपक्रम)  
सांकेतोडिया, पो: डिसेरगढ़  
रिपणन एवं विक्रय विभाग



Eastern Coalfields Limited  
(A subsidiary of Coal India Ltd)  
Sanctoria, PO. Dishergarh,  
DEPT: MARKETING & SALES

ECL/HQ/M&S/E-AUCTION/702

Dated: 19.09.2024

SUB: E-AUCTION OFFER

**KIND ATTEN: SHRI MALAY KUMAR MAJEE, HOD COAL E-AUCTION**

TO: M/S CMPDI LTD, KANKE ROAD, RANCHI, JHARKHAND, 834008  
FROM: GM/HOD (M&S), ECL, SANCTORIA.

PLEASE FIND ATTACHED HEREWITH THE OFFERS FOR E-AUCTION SCHEDULED TO BE HELD on **26<sup>th</sup> OF SEPTEMBER, 2024**. THE AUCTION IS TO BE HELD IN TERMS OF UPDATED CIL E-AUCTION SCHEME 2022.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

**NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER E-AUCTION**

For terms and conditions of updated CIL E-Auctions Scheme 2022, prospective bidders are advised to visit the CIL's website.

**Post auction activities**

Coal value and requisite documents are to be deposited **within a period of 10 working days** after the closure of the auction (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). 10 working days would be reckoned as applicable to the ECL Office, Sanctoria. Sale Orders in road mode will be issued **within 7 days** after verification of coal value and documents submitted. Sale Orders in rail mode / consent of Railway programme will be issued after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

- Multiple loading sidings like PSBP has e-auction rake despatch capacity of 6 to 7 rakes per day and multiple rakes in same destination is causing hindrance in rake supply by Railway for not more than 2 rakes per day. In view of this Rail Customers are advised to keep alternative destination/Good shed siding for smooth liquidation of rakes due to hindrance/constraints in evacuation by Railways. To ensure faster liquidation of rake, customers are advised for sequencing of rakes during endorsement/allotment.
- **Documents to be submitted for booking** - Successful bidders are required to submit Sale intimation letter, customer's acceptance letter in their letter head, Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e. Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL.
- Presently, all the coal customers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.

- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.
- If the same address comes within the same state from which coal is supplied then CGST & SGST will be charged and if above address of recipient falls in a different state from where coal is supplied then IGST will be levied.
- **Exact amount to be deposited:** Earnest Money Deposit (EMD), is now termed as Bid Security which is Rs.150 per tonne at present. The sum total of Bid Security and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done. Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of Bid Security) in one instalment only. The successful bidders are required to deposit financial coverage for the quantity **(4000+130) 4130 tonnes** per rake in Rail mode. Consumers may maintain the financial coverage for this additional quantity of **130 tonnes** in the form of cash or bank guarantee until dispatching and invoicing of the rake. The additional coverage for **130 tonnes** along with coverage of **4000 tonne** is also to be deposited within 10 working days as per the scheme.
- **Process Fee:** In addition, with the bid security, the Bidders shall also be required to submit a Process Fee, in cash through e-transfer, prior to participation in e-auction at the rate of Rs.20/- per ton for the intended bid quantity, inclusive of applicable taxes, with service provider for participation in e-auction. The Process fee shall be non-refundable to the extent of provisionally successful bid quantity in the First stage of bidding process.
- **Separate amount of advance:** The coal customers against E-Auction sale are advised to deposit the amount of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN separately. Further the E-Auction coal customers are advised to deposit the advance Auction-wise Bid-wise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.
- **Cancellation of Rakes: Reference is made to Clauses 4.2.2, 7.6,10.8,10.9,10.10 of of CIL's e-Auction Scheme (dated 24.07.2024),** in accordance with these clauses, if a bidder refuses to accept the coal offered for loading, **Coal Company has the right to cancel the e-Auction rake.** In such cases, the Earnest Money Deposit (EMD) will be forfeited as provisions in the e-Auction Scheme.
- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- Steam loading will be done mechanically.
- Details of Bank to which the payment instruments are to be sent: Payment must be made through banking interface only of Axis Bank and ICICI Bank. No other mode of payment will be acknowledged. Relevant details are available in ECL website.
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f. 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the Bid Security in the form of BG are required to submit through SFMS mode in addition to submission of original BG to the E-Auction Service Provider at least 3 working days from the date of auction. (Eg: If auction date is 22<sup>nd</sup> Dec 2022. then last date of deposition of Bid Security in the form of BG is 19<sup>th</sup> Dec 2022.). The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office.
- The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol. SFMS details are as below: -
 

Bank Name: ICICI Bank  
 Account No.: 029105006160  
 Cust ID: 582866895  
 Bank Branch IFSC Code: ICIC0000291  
 Unique Identifier for Field 7037: ECL582866895  
 Alert for message type- Issuance & Amendment both (5017 & 5018 both).
- The requisite documents along with application may be sent in mail id [eclmns2020@yahoo.com](mailto:eclmns2020@yahoo.com) within 2 working days of deposition of coal value.

| Auction Floor                       |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
|-------------------------------------|------------------------|----------------------|---------------------|--|---------------|---------------------------------------|-----------------|----------------|--|--|--|--|
| Cluster Name                        | Total offer of Cluster | Representative Grade | Representative Size | Notified price of representative grade incl. STM charges | Floor Price   |                                       |                 |                |  |  |  |  |
| Salanpur 'B'                        | 224000                 | G8                   | STEAM               | 2183   | 2183          |                                       |                 |                |  |  |  |  |
| <b>Cluster Description</b>          |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
| Loading Points                      | Mode                   | Grade                | Size                | Notified price of representative grade incl. STM charges | Reserve Price | Evacuation capacity under offer (tes) | SAP Siding Code | SAP Plant code | <b>Weighbridge Details</b>                                       |  |  |  |
| SLS-I / BJSP                        | Rail                   | G6                   | -100 MM,STEAM       | 3006   | 3758          | 4000 (1 Rake)                         | BJSP            | 4001           | Dalmiya EIM WB, Cap: 140 tes                                     |  |  |  |
| Mohanpur OC                         | Road                   | G6                   | -250 MM,STEAM       | 3006   | 3006          | 10000                                 | N/A             | 4512           | Linked WB of Mohanpur OC, CAP: 60tes, 2 Nos.                     |  |  |  |
| Itapara OC                          | Road                   | G6                   | -100 MM,STEAM       | 3006   | 3006          | 10000                                 | N/A             | 4513           | Linked WB of Itapara OC, CAP: 60 te, 1 Nos.                      |  |  |  |
| G/Begunia OC                        | Road                   | G8                   | -100 MM,STEAM       | 2183   | 2183          | 200000                                | N/A             | 4515           | Linked WB of G/Begunia OC, CAP: 60tes, 2 Nos.                    |  |  |  |
| <b>Auction Floor</b>                |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
| Cluster Name                        | Total offer of Cluster | Representative Grade | Representative Size | Notified price of representative grade incl. STM charges | Floor Price   |                                       |                 |                |  |  |  |  |
| Kenda                               | 31500                  | G5                   | -100 MM,STEAM       | 3247   | 4059          |                                       |                 |                |  |  |  |  |
| <b>Cluster Description</b>          |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
| Loading Points                      | Mode                   | Grade                | Size                | Notified price of representative grade incl. STM charges | Reserve Price | Evacuation capacity under offer (tes) | SAP Siding Code | SAP Plant code | <b>Weighbridge Details</b>                                       |  |  |  |
| CHA-I(B) / MCSP                     | Rail                   | G4                   | -100 MM,STEAM       | 3528   | 4410          | 4000 (1 Rake)                         | MCSP            | 4001           | Sonachara Rail In-motion WB, Capacity: 140 MT                    |  |  |  |
| Bahula UG                           | Road                   | G4                   | -100 MM,STEAM       | 3528   | 4410          | 1000                                  | N/A             | 4314           | Bahula 1 Read W/B, CAPACITY: 60 TONNES                           |  |  |  |
| Chora 789 pit UG                    | Road                   | G4                   | -100 MM,STEAM       | 3528   | 4410          | 3000                                  | N/A             | 4312           | CHORA 7/9 Road Weighbridge CAPACITY:60 TONNES                    |  |  |  |
| Chora 10 pit UG                     | Road                   | G4                   | -100 MM,STEAM       | 3528   | 4410          | 2500                                  | N/A             | 4313           | Chora 10 Pit Road WB, Capacity: 60 MT                            |  |  |  |
| Chora Block Inc UG                  | Road                   | G5                   | -100 MM,STEAM       | 3247   | 4059          | 1000                                  | N/A             | 4320           | Shankarpur OCP Road WB, Capacity: 60 Tones                       |  |  |  |
| New Kenda OC                        | Road                   | G4                   | -100 MM,STEAM       | 3528   | 4410          | 15000                                 | N/A             | 4319           | Bahula 1 Road W/B, CAPACITY: 60 TONNES                           |  |  |  |
| Lower Kenda UG                      | Road                   | G3                   | -100 MM,STEAM       | 3688   | 4610          | 2500                                  | N/A             | 4315           | CHORA 7/9 Road Weighbridge CAPACITY:60 Tes.                      |  |  |  |
| Siduli UG                           | Road                   | G5                   | -100 MM,STEAM       | 3247   | 4059          | 2500                                  | N/A             | 4316           | Shankarpur OCP Road WB, Capacity: 60 Tones                       |  |  |  |
| <b>Auction Floor</b>                |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
| Cluster Name                        | Total offer of Cluster | Representative Grade | Representative Size | Notified price of representative grade incl. STM charges | Floor Price   |                                       |                 |                |  |  |  |  |
| Mugma                               | 30500                  | G6                   | STEAM               | 3006   | 3758          |                                       |                 |                |  |  |  |  |
| <b>Cluster Description</b>          |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
| Loading Points                      | Mode                   | Grade                | Size                | Notified price of representative grade incl. STM charges | Reserve Price | Evacuation capacity under offer (tes) | SAP Siding Code | SAP Plant code | <b>Weighbridge Details</b>                                       |  |  |  |
| MMU IIIA / PMCS                     | Rail                   | G5                   | -100 MM,STEAM       | 3247   | 4059          | 4000 (1 Rake)                         | PMCS            | 4001           | Pandra Rail Weighbridge, Capacity: 100 MT                        |  |  |  |
| Harijam UG                          | Road                   | G5                   | -250 MM,STEAM       | 3247   | 4059          | 500                                   | N/A             | 4615           | Harijam Road Weighbridge, Capacity: 60 MT                        |  |  |  |
| Lakhimata UG                        | Road                   | G5                   | -250 MM,STEAM       | 3247   | 4059          | 2000                                  | N/A             | 4616           | Linked WB of Lakhimata UG, Capacity: 60 Te.                      |  |  |  |
| Barmuri OC                          | Road                   | G5                   | -250 MM,STEAM       | 3247   | 4059          | 10000                                 | N/A             | 4624           | Linked WB- Barmuri OC , Cap- 60 te                               |  |  |  |
| Khoodia UG                          | Road                   | G5                   | -250 MM,STEAM       | 3247   | 4059          | 1500                                  | N/A             | 4618           | Linked WB of Lakhimata UG, Capacity: 60 Te.                      |  |  |  |
| Shyampur B UG                       | Road                   | G5                   | -250 MM,STEAM       | 3247   | 4059          | 500                                   | N/A             | 4617           | Shyampur B WB, Capacity: 60 Te.                                  |  |  |  |
| Badjna UG                           | Road                   | G6                   | -250 MM,STEAM       | 3006   | 3758          | 2000                                  | N/A             | 4612           | Badjna WB, Capacity: 60 Te.                                      |  |  |  |
| Chapapur OC                         | Road                   | G5                   | -250 MM,STEAM       | 3247   | 4059          | 10000                                 | N/A             | 4614           | Chapapur OC Weighbridge , Capacity: 60 Te.                       |  |  |  |
| <b>Auction Floor</b>                |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
| Cluster Name                        | Total offer of Cluster | Representative Grade | Representative Size | Notified price of representative grade incl. STM charges | Floor Price   |                                       |                 |                |  |  |  |  |
| Kajora Area                         | 22500                  | G3                   | -100 MM,STEAM       | 3688   | 4610          |                                       |                 |                |  |  |  |  |
| <b>Cluster Description</b>          |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
| Loading Points                      | Mode                   | Grade                | Size                | Notified price of representative grade incl. STM charges | Reserve Price | Evacuation capacity under offer (tes) | SAP Siding Code | SAP Plant code | <b>Weighbridge Details</b>                                       |  |  |  |
| UKA-II-MSPE                         | Rail                   | G3                   | -100 MM,STEAM       | 3688   | 4610          | 4000 (1 Rakes)                        | RLK2            | 4001           | Andal Railway Weigh Bridge, Cap: 140TE                           |  |  |  |
| KhasKajora UG                       | Road                   | G3                   | -100 MM,STEAM       | 3688   | 4610          | 6000                                  | N/A             | 4218           | Linked WB of Khas Kajora Colly., Cap: 60tes                      |  |  |  |
| Central Kajora UG                   | Road                   | G3                   | -100 MM,STEAM       | 3688   | 4610          | 3000                                  | N/A             | 4219           | Linked WB of Central Kajora Colly., Cap: 60 tes                  |  |  |  |
| Porascole (E) UG                    | Road                   | G3                   | -100 MM,STEAM       | 3688   | 4610          | 3500                                  | N/A             | 4220           | Linked WB of Parascole Colly., Cap: 60 tes                       |  |  |  |
| Jambad UG                           | Road                   | G3                   | -100 MM,STEAM       | 3688   | 4610          | 6000                                  | N/A             | 4212           | Linked WB of Jambad Colly., Cap: 60 tes                          |  |  |  |
| <b>Auction Floor</b>                |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
| Cluster Name                        | Total offer of Cluster | Representative Grade | Representative Size | Notified price of representative grade incl. STM charges | Floor Price   |                                       |                 |                |  |  |  |  |
| SATGRAM-SRIPUR NMCL                 | 32500                  | G5                   | -100 MM,STEAM       | 3247   | 4059          |                                       |                 |                |  |  |  |  |
| <b>Cluster Description</b>          |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
| Loading Points                      | Mode                   | Grade                | Size                | Notified price of representative grade incl. STM charges | Reserve Price | Evacuation capacity under offer (tes) | SAP Siding Code | SAP Plant code | <b>Weighbridge Details</b>                                       |  |  |  |
| RNG-I                               | Rail                   | G5                   | -100 MM,STEAM       | 3247   | 4059          | 20000 (5 Rakes)                       | NMCL            | 4001           | Near Raniganj up line, Cap: 140 Tes                              |  |  |  |
| Nimcha UG                           | Road                   | G4                   | -100 MM,STEAM       | 3528   | 4410          | 2000                                  | N/A             | 4412           | Near Nimcha Siding, Capacity-60 Te                               |  |  |  |
| Amkola OC                           | Road                   | G5                   | -100 MM,STEAM       | 3247   | 4059          | 4000                                  | N/A             | 4413           | Near Nimcha Siding, Capacity-60 Te                               |  |  |  |
| Nimcha High Wall                    | Road                   | G5                   | -100 MM,STEAM       | 3247   | 4059          | 6000                                  | N/A             | 4426           | Near Nimcha Siding, Capacity-60 Te                               |  |  |  |
| Kalidaspur UG                       | Road                   | G4                   | -100 MM,STEAM       | 3528   | 4410          | 500                                   | N/A             | 4417           | Near Kalidaspur Project- 60 Te                                   |  |  |  |
| <b>Auction Floor</b>                |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
| Cluster Name                        | Total offer of Cluster | Representative Grade | Representative Size | Notified price of representative grade incl. STM charges | Floor Price   |                                       |                 |                |  |  |  |  |
| SATGRAM-SRIPUR JNCN                 | 9000                   | G5                   | -100 MM,STEAM       | 3247   | 4059          |                                       |                 |                |  |  |  |  |
| <b>Cluster Description</b>          |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
| Loading Points                      | Mode                   | Grade                | Size                | Notified price of representative grade incl. STM charges | Reserve Price | Evacuation capacity under offer (tes) | SAP Siding Code | SAP Plant code | <b>Weighbridge Details</b>                                       |  |  |  |
| DN-IB                               | Rail                   | G4                   | -100 MM,STEAM       | 3528   | 4410          | 4000 (1 Rake)                         | JNCN            | 4001           | Down-I Weighbridge, Cap: 140 Tes                                 |  |  |  |
| JK Nagar UG                         | Road                   | G4                   | -100 MM,STEAM       | 3528   | 4410          | 2500                                  | N/A             | 4418           | Near JK Nagar Siding, Capacity-50 Te                             |  |  |  |
| Bhanora WB UG                       | Road                   | G4                   | -100 MM,STEAM       | 3528   | 4410          | 500                                   | N/A             | 4464           | Bhanora WB Depot Road WB, Capacity-60 Te                         |  |  |  |
| Ningha UG                           | Road                   | G4                   | -100 MM,STEAM       | 3528   | 4410          | 1000                                  | N/A             | 4462           | Near Ningha Depot, Capacity-60 Te                                |  |  |  |
| Ningha OC                           | Road                   | G5                   | -100 MM,STEAM       | 3247   | 4059          | 5000                                  | N/A             | 4470           | Near Ningha OC Patch, Capacity-60 Te                             |  |  |  |
| <b>Auction Floor</b>                |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
| Cluster Name                        | Total offer of Cluster | Representative Grade | Representative Size | Notified price of representative grade incl. STM charges | Floor Price   |                                       |                 |                |  |  |  |  |
| S P Mines Area                      | 39000                  | G4                   | STEAM               | 3528   | 4410          |                                       |                 |                |  |  |  |  |
| <b>Cluster Description</b>          |                        |                      |                     |  |               |                                       |                 |                |  |  |  |  |
| Loading Points                      | Mode                   | Grade                | Size                | Notified price of representative grade incl. STM charges | Reserve Price | Evacuation capacity under offer (tes) | SAP Siding Code | SAP Plant code | <b>Weighbridge Details</b>                                       |  |  |  |
| JMT                                 | Rail                   | G3                   | -100 MM,STEAM       | 3688   | 4610          | 4000 (1 Rake)                         | CCSJ            | 4001           | Electronic In Motion WB Jamtara Railway Siding, Cap: 100 tes     |  |  |  |
| Chitra OC: Saharjori/Pathika/Colony | Road                   | G3                   | -250 MM,STEAM       | 3688   | 4610          | 10000                                 | N/A             | 4662           | Linked WB-Chitra OC / Saharjori/Pathika/Colony Capacity- 100 te, |  |  |  |
| Chitra OCP: Chitra                  | Road                   | G4                   | -250 MM,STEAM       | 3528   | 4410          | 25000                                 | N/A             | 4662           | Linked WB of Chitra OCP/Chitra Seam, Capacity- 60 tes            |  |  |  |