

**CENTRAL COALFIELDS LIMITED***A Mahatma Company**(Govt. of India Undertaking)***Marketing & Sales Department**

Reg. Office: Darbhanga House, Ranchi

Jharkhand - 834 001

Phone/Fax: (0651) 2360369

CIN NO: U10200JH1956GOI000581

E-mail: [gmsnm.col@coalindia.in](mailto:gmsnm.col@coalindia.in)Web: <https://www.centralcoalfields.in>

संख्या: CCL/HQ/C-4/e-Auction/2025-26/2363

दिनांक: 22.10.2025

**सूचना / NOTICE****SALE OF COAL THROUGH SINGLE WINDOW MODE AGNOSTIC E-AUCTION PHASE-XI of  
FY 2025-26**

It is for information of all Buyers that "Single Window Mode agnostic e auction" through CIL E-auction scheme 2022 has been introduced by CIL. CENTRAL COALFIELDS LTD., Ranchi (A subsidiary of COAL INDIA LTD.) has scheduled to hold Single Window Mode agnostic E-Auction for sale of Coal & Coal Products on **29<sup>th</sup>, 30<sup>th</sup>, 31<sup>st</sup> October 2025**

Sale of coal/ Washery products through E-Auction will cover all buyers including Consumers as well as Traders. Such consumers / traders, will have to register themselves with the service provider M/s CMPDI Ltd., Ranchi by visiting Website [www.coaleauction.co.in](http://www.coaleauction.co.in). Though registration will be a continuous process, only those who deposit Bid Security with service provider shall be allowed to participate in e-Auction to be held on 29th, 30th and 31<sup>st</sup> October 2025.

Participants of e-auction may please note that Bid Security for any type of coal will be ₹ 150/- per tonne and amount of Financial coverage will be notified separately by the seller.

The e-Auction shall be conducted as per the "Terms and Conditions" of CIL e-auction scheme 2022 (updated on 22-05-2025).

Service Provider wise e-Auction schedule is as follows:

Service Provider
CMPDI Ltd
CMPDI Ltd
CMPDI Ltd

**Auction date****29<sup>th</sup> October 2025****30<sup>th</sup> October 2025****31<sup>st</sup> October 2025****Details of M/s CMPDI Ltd. is as under:**

CMPDI Ltd., Kanke Road, Ranchi - 834001  
Website <http://www.coaleauction.co.in>

**Contact Persons at CMPDI Ltd.:**

0651-2233058 / 0651-2233455  
E-mail: [coaleauction.pmu@coalindia.in](mailto:coaleauction.pmu@coalindia.in)

**Contact Persons at CCL:**

Sri Deepankar Singh, Mgr. (M&S) | 8521331307  
Smt Parul Bansal, Dy. Mgr. (M&S) | 8987784158

**Contact Details of CCL:**

Website: <http://www.centralcoalfields.in>  
Fax: 0651 – 2360369

All concerned are requested to contact M/s CMPDI Ltd. on the above website address or by visiting CMPDI Ltd., Ranchi or Office of the GM (M&S), CCL, Ranchi on the above address or at the addresses given in the above websites for collection of further details regarding the E-Auction, such as Products offered, Quantity, Sources/ Grades, Floor Prices & Other Statutory Charges, & other Terms & Conditions.

*27/10/25*  
General Manager (M & S)

**Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD in OCTOBER'25 (PHASE 11)**

**SERVICE PROVIDER :-** **CMPDI**

**DATED:-29.10.2025**

Offer Description												Modulated price of representative grade	Floor Price	Total offer
Name		Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price	Total offer		
Rajrappa OCP		24000		W04			ROM			2590	3108	24000	0	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode	
Rajrappa OCP	Road	-	3137	W04	W04	ROM	20000	4900000015	Payloader	2590	2590	-	Road	
Rajrappa Washery Sptn (Wbar)	Rail	Rajrappa OCP	LS25	W04	W04	(->100mm	4000	4100000023	Payloader	2590	2590	100%	Rail	
Name		Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price	Total offer		
Rajrappa Washery		20000		G5			Slurry			2997	2997	20000	0	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode	
Rajrappa Washery	Road	-	3139	G5	G5	Slurry	20000	4100000026	Manual	2997	2997	-	Road	
Name		Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price	Total offer		
Rajrappa Washery		1000		G9			Slurry			1502	1502	1000	0	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode	
Rajrappa Washery	Road	-	3139	G9	G9	Slurry	1000	4100000026	Manual	1502	1502	-	Road	
Name		Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price	Total offer		
Amrapali OCP		204000		G11			(>100mm			1181	1536	204000	0	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode	
Amrapali OCP	Road	-	3112	G11	G11	(->100mm	200000	4100000000	Payloader	1181	1181	-	Road	
Shivpuri Siding	Rail	Amrapali OCP	LS12	G11	G11	(->100mm	4000	4100000000	Payloader	1181	1181	100%	Rail	
Name		Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price	Total offer		
Magadh OCP		194000		G11			(>100mm			1181	1536	194000	0	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode	
Magadh OCP	Road	-	3110	G11	G11	(->100mm	190000	4100000000	Payloader	1181	1181	-	Road	
Balumath Siding	Rail	Magadh OCP	LS06	G11	G11	(->100mm	4000	4100000000	Payloader	1181	1181	40-60%	Rail	
				G12	G12	(->100mm	4000	4100000000	Payloader	1098	1098	40-60%	0	
				G9	G9	(->100mm	4000	4100000000	Payloader	1502	1502	0-20%	0	
Name		Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price	Total offer		
Magadh OCP		154000		G12			(>100mm			1098	1428	154000	0	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode	
Magadh OCP	Road	-	3110	G12	G12	(->100mm	150000	4100000000	Payloader	1098	1098	-	Road	
Phulbasiya Siding	Rail	Magadh OCP	LS08	G11	G11	(->100mm	4000	4100000000	Payloader	1181	1181	40-60%	Rail	
				G12	G12	(->100mm	4000	4100000000	Payloader	1098	1098	40-60%	0	
				G9	G9	(->100mm	4000	4100000000	Payloader	1502	1502	0-20%	0	
Name		Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price	Total offer		
Magadh OCP		154000		G12			(>100mm			1098	1428	154000	0	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode	
Magadh OCP	Road	-	3110	G12	G12	(->100mm	150000	4100000000	Payloader	1098	1098	-	Road	
Phulbasiya Siding	Rail	Magadh OCP	LS08	G11	G11	(->100mm	4000	4100000000	Payloader	1181	1181	40-60%	Rail	
				G12	G12	(->100mm	4000	4100000000	Payloader	1098	1098	40-60%	0	
				G9	G9	(->100mm	4000	4100000000	Payloader	1502	1502	0-20%	0	
Name		Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price	Total offer		
Kabribid OCP		34000		G8			ROM			1926	2119	34000	0	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode	
Kabribid OCP	Road	-	3059	G8	G8	ROM	30000	4900000014	Payloader	1926	1926	-	Road	
CP Siding	Rail	Kabribid OCP	LS30	G8	G8	(->100mm	4000	4100000000	Payloader	1926	1926	100%	Rail	
Name		Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price	Total offer		
Sirkha OCP		10000		G5			ROM			2997	3897	10000	0	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode	
Sirkha OCP	Road	-	3005	G5	G5	ROM	10000	4900000014	Payloader	2997	2997	-	Road	
Name		Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price	Total offer		
Urimari OCP		19000		G8			ROM			1926	2504	19000	0	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode	
Urimari OCP	Road	-	3018	G8	G8	ROM	15000	4900000014	Payloader	1926	1926	-	Road	
Saundha-B Siding	Rail	Gidi A	LS26	G8	G8	(->100mm	4000	4100000000	Payloader	1926	1926	10-30%	Rail	
		Urimari		G8	G8	(->100mm	4000	4100000000	Payloader	1926	1926	10-30%	0	
		Bhurkunda		G8	G8	(->100mm	4000	4100000000	Payloader	1926	1926	50-70%	0	
Name		Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price	Total offer		
North Urimari OCP		15000		G8			ROM			1926	2504	15000	0	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode	

Birsa OCP	Road	-	3020	G8	G8	ROM	11000	4900000014	Payloader	1926	1926	-	Road
NUGP Silo	Rail	Birsa OCP Urimari	LS34	G8 G8	G8	(->100mm	4000	4100000000 4100000000	Silo	1926 1926	1926	65-85% 15-35%	Rail 0
<b>Name</b>	<b>Total offer</b>		<b>Representative Grade</b>			<b>Representative Size</b>				<b>Modulated price of representative grade</b>		<b>Floor Price</b>	Total offer
Churi UG	24000		G7			(>100mm				2533		3293	24000 0
	Offer Description												
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode
Churi UG	Road	-	3114	G7	G7	(->100mm	20000	4100000000	CHUTE	2533	2533	-	Road
Dakra siding	Rail	Dakra OCP Churi UG	LS17	G10 G7	G7	(->100mm	4000	4100000000 4100000000	Payloader	1256 2533	2533	40-60% 40-60%	Rail 0
<b>Name</b>	<b>Total offer</b>		<b>Representative Grade</b>			<b>Representative Size</b>				<b>Modulated price of representative grade</b>		<b>Floor Price</b>	Total offer
KDH OCP	19000		G11			ROM				1181		1536	19000 0
	Offer Description												
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode
KDH OCP	Road	-	3118	G11	G11	ROM	15000	4900000014	Payloader	1181	1181	-	Road
KDH siding	Rail	KDH OCP Rohini OCP	LS18	G11	G11	(->100mm	4000	4100000000 4100000000	Payloader	1181	1181	25-45% 55-75%	Rail 0
<b>Name</b>	<b>Total offer</b>		<b>Representative Grade</b>			<b>Representative Size</b>				<b>Modulated price of representative grade</b>		<b>Floor Price</b>	Total offer
Purnadil OCP	10000		G11			ROM				1181		1536	10000 0
	Offer Description												
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode
Purnadil OCP	Road	-	3117	G11	G11	ROM	10000	4900000014	Payloader	1181	1181	-	Road

Name	Total offer		Representative Grade			Representative Size				Modulated price of representative grade		Floor Price	Total offer				
KATHARA OC	72000		W01			ROM				3525		3525	72000				
Offer Description																	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode				
KATHARA OC	Road	-	3083	W01	W01	ROM	72000	4900000015	Payloader	3525	3525	-	Road				
Name	Total offer		Representative Grade			Representative Size				Modulated price of representative grade		Floor Price	Total offer				
AKK OCP	54000		W05			ROM				2311		3005	54000				
Offer Description																	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode				
AKK OCP	Road	-	3037	W05	W05	ROM	50000	4900000015	Payloader	2311	2311	-	Road				
JARANDH-I(PSA) Siding	Rail	AKK OCP	LS19	W04	W04	(->100mm	4000	4100000023	Payloader	2590	2590	100%	Rail				
Name	Total offer		Representative Grade			Representative Size				Modulated price of representative grade		Floor Price	Total offer				
Karma OCP	14000		G7			ROM				2533		3293	14000				
Offer Description																	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode				
Karma OCP	Road	-	3102	G7	G7	ROM	10000	4900000014	Payloader	2533	2533	-	Road				
NEW KUJU(KNSP) Siding	Rail	Topa OCP	LS24	W04	G6	(->100mm	4000	4100000023	Payloader	2590	2754	5-25%	Rail				
		Tapin North OCP		W04		(->100mm		4100000023		2590		15-35%					
		Karma OCP		G7		(->100mm		4100000000		2533		25-35%					
		Karma OCP		G6		(->100mm		4100000000		2754		25-35%					
Name	Total offer		Representative Grade			Representative Size				Modulated price of representative grade		Floor Price	Total offer				
Tetariakhar OCP	200000		G12			(->100mm				1098		1098	200000				
Offer Description																	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode				
Tetariakhar OCP	Road	-	3134	G12	G12	(->100mm	200000	4900000014	Payloader	1098	1098	-	Road				

NOTE:

- Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
- In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
- Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
- In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, Commitment Charge, Beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
- Price is available on company website [www.centralcoalfields.in](http://www.centralcoalfields.in) for non-coking & coking coal.
- The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
- Bid Security for all types of coal will be ₹ 150/- per tonnes.
- All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
- In addition to above, Beneficiation charge be levied for all selective loading. The Beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
- The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
- Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
- Auction shall be conducted on the floor price i.e. reserve price for each cluster.
- Percentage premium will remain constant throughout lifting period of the particular e-auction.
- Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
- Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
- Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
- In case of Washed Medium Coking Coal (WMCC), the price notification dated 23.04.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
- The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.
- \* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

**Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD in OCTOBER'25 (PHASE 11)**

**SERVICE PROVIDER :-** CMPDI

**DATED:-30.10.2025**

Offer Description												287000	
Name	Total offer		Representative Grade			Representative Size			Modulated price of representative grade		Floor Price	Total offer	
Rajrappa OCP Steam Coal	14000		W03			Steam			3080		3696	14000	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode
Rajrappa OCP	Road	-	3137	W03	W03	Steam	10000	4900000015	Manual	3080	3080	-	Road
Rajrappa Washery Siding (Wharf)	Rail	Rajrappa OCP	LS25	W04	W04	(->100mm	4000	4100000023	Payloader	2590	2590	100%	Rail
Name	Total offer		Representative Grade			Representative Size			Modulated price of representative grade		Floor Price	Total offer	
Amarpal OCP	204000		G12			(>100mm			1098		1208	204000	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode
Amarpal OCP	Road	-	3112	G12	G12	(->100mm	20000	410000000	Payloader	1098	1098	-	Road
Shivpoor Siding	Rail	Amarpal OCP	LS12	G11	G11	(->100mm	4000	410000000	Payloader	1181	1181	100%	Rail
Name	Total offer		Representative Grade			Representative Size			Modulated price of representative grade		Floor Price	Total offer	
North Urimari OCP	12000		G7			ROM			2533		3293	12000	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode
Birsa OCP	Road	-	3020	G7	G7	ROM	8000	490000014	Payloader	2533	2533	-	Road
NUGP Silo	Rail	Birsa OCP Urimari	LS34	G8 G8	G8	(->100mm	4000	410000000 410000000	Silo	1926 1926	1926 1926	65-85% 15-35%	Rail
Name	Total offer		Representative Grade			Representative Size			Modulated price of representative grade		Floor Price	Total offer	
Dakra OCP	24000		G10			ROM			1356		1763	24000	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode
Dakra OCP	Road	-	3119	G10	G10	ROM	20000	490000014	Payloader	1356	1356	-	Road
Dakra siding	Rail	Dakra OCP Churi UG	LS17	G10 G7	G7	(->100mm	4000	410000000 410000000	Payloader	1356 2533	2533	40-60% 40-60%	Rail
Name	Total offer		Representative Grade			Representative Size			Modulated price of representative grade		Floor Price	Total offer	
Rohini OCP	14000		G11			ROM			1181		1536	14000	
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode
Rohini OCP	Road	-	3120	G11	G11	ROM	10000	490000014	Payloader	1181	1181	-	Road
KDH siding	Rail	KDH OCP Rohini OCP	LS18	G11	G11	(->100mm	4000	410000000 410000000	Payloader	1181	1181	25-45% 55-75%	Rail

Name	Total offer		Representative Grade			Representative Size			Modulated price of representative grade		Floor Price	Total offer	
Topa OCP	19000		W03			ROM			2810		3091	19000	
Offer Description													
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries	Mode
Topa OCP NEW KULU(KNSP) Siding	Road Rail	Topa OCP Tapin North OCP Karma OCP Karma OCP	3101 LS24	W03	W03	ROM	15000	4900000015	Payloader	2810	2810	-	Road
				W04	G6	(-100mm)		4100000023		2590	2754	5-25%	Rail
				W04		(-100mm)		4100000023		2590		15-35%	0
				G7		(-100mm)	4000	4100000000	Payloader	2533		25-35%	0
				G6		(-100mm)		4100000000		2754		25-35%	0

NOTE:

1. Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
2. In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
3. Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
4. In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
5. Price is available on company website [www.centralcoalfields.in](http://www.centralcoalfields.in) for non-coking & coking coal.
6. The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
7. Bid Security for all types of coal will be ₹ 150/- per tonnes.
8. All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
9. In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
10. The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
11. Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
12. Auction shall be conducted on the floor price i.e. reserve price for each cluster
13. Percentage premium will remain constant throughout lifting period of the particular e-auction.
14. Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
15. Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
16. Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date
17. In case of Washed Medium Coking Coal (WMCC), the price notification dated 23.04.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
18. The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.

\* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.

Note: CCL reserves the right to make any amendment in the above offer.

sd/-  
GM (M&S)

**Offer for Single Window Mode Agnostic E-AUCTION SCHEDULED TO BE HELD in OCTOBER'25 (PHASE 11)**

**SERVICE PROVIDER :-** **CMPDI**

**DATED:-31.10.2025**

												19000
Name		Total offer		Representative Grade			Representative Size			Modulated price of representative grade	Floor Price	Total offer
Topa OCP		19000		STII			ROM			4169	5003	19000
Offer Description												
Source	Mode	Feeding Collieries	Plant Code	Grade	Representative Grade	Size	Evacuation Qty under Offer(tes)	Material Code	Loading Method	MODULATED PRICE (in Rs./Tes.)	Modulated Price of representative grade (in Rs./Tes.)	Supply pattern from feeding collieries
Topa OCP	Road		3101	STII	STII	ROM	15000	4000000015	Payloader	4169	4169	Road
NEW KUDU(KNSP) Siding	Rail	Topa OCP	LS24	W04	G6	(-100mm)	4100000023			2590		5-25%
		Tapin North OCP		W04		(-100mm)	4100000023			2590		15-35%
		Karma OCP		G7		(-100mm)	4100000000			2533		25-35%
		Karma OCP		G6		(-100mm)	4100000000			2754		25-35%

**NOTE:**

1. Consumers are requested to make payment of coal value using collection portal of the banks as notified by CCL from time to time.
2. In addition to bid price other add on prices, if any, will be recovered, Statutory charges and Govt. levies will be charged as applicable on the date of delivery.
3. Before participating in e-auction bidders must satisfy themselves with the quality of the coal being offered from a source
4. In addition to above, GST, Sales Taxes, Royalty, SED, Excise Duty, Commitment Charge, beneficiation charge, Surface Transportation Charges, Sizing Charge & any other charges as applicable will have to be paid by buyers at CCL.
5. Price is available on company website [www.centralcoalfields.in](http://www.centralcoalfields.in) for non-coking & coking coal.
6. The refunds shall be made only to the Account no. and the bank through which the coal value will be deposited and as per e-mandate provided by the customer to CCL.
7. Bid Security for all types of coal will be ₹ 150/- per tonnes.
8. All selective loading irrespective of means of loading and modes of dispatch to be considered as loading of steam sized coal of +25 mm. Therefore, in case of selective loading, a steam sizing charge, which is presently ₹ 270/- per tonne, be charged on the ROM price on account of sizing.
9. In addition to above, beneficiation charge be levied for all selective loading. The beneficiation charge shall be the price difference as per the grades identified in the grade notification of the coal company for steam and ROM respectively.
10. The selective loading charge from the ROM be the summation of the sizing charge i.e. ₹ 270/- per tonne and the difference of price arising out of the grades of steam and ROM.
11. Participation of auction consumers in the bidding process through this notice will mean that the bidder accepts and agrees for all the terms and conditions of the scheme as well as this notice in totality.
12. Auction shall be conducted on the floor price i.e. reserve price for each cluster.
13. Percentage premium will remain constant throughout lifting period of the particular e-auction.
14. Bid price shall be subject to revision with the changes in notified price/modulated price of coal if any and as per relevant clause in scheme document
15. Change in bid price shall only be upward in nature i.e. only upward notified price/modulated price revision shall be considered. In case of downward revision on notified price/modulated, the bid price at the date of bidding shall prevail at the time of supply.
16. Refund process of sale orders under road mode shall be completed following due formalities of scheme document, within 15 days of lifting validity date.
17. In case of Washed Medium Coking Coal (WMMC), the price notification dated 23.04.2025 (available on CCL website) shall be applicable, however, the penalty clause for ash% above 20.0% stands modified as 0.31% of the base price for every 0.1% increase in the ash content. The Notified Price considered for e-Auction is exclusive of components of Royalty, DMF and NMET and accordingly such components shall be applicable over and above the Bid price.
18. The consumers taking coal under Rail mode should ensure compliances related with Mining permit, JIMMS portal etc. Related documents like Form-B, Form-H should be made available at siding/mine/Area well in advance for application of Mining Permits. CCL shall not be responsible for any loss in loading on account of delay/non approval of Mining Permit applications by respective DMOs.

\* The charges shown are indicative only and actual amount as applicable will have to be paid by buyers at CCL.